



**SAFETY SYSTEM®**  
YOUR PROTECTOR

**Sir Safety System S.p.A. Single-member company**  
Wholly-owned subsidiary of Sir Holding Srl  
Via dei Fornaciaci, 9 - Santa Maria degli Angeli  
06081 Assisi - Perugia - Italy  
Tel.+39 075.8043737 - Fax +39 075.8048686

VAT Nr. IT 03359340548  
Viale Europa 74  
20090 Cusago Milano  
Tel. +39 02.90394575  
Fax +39 02.90394441

**TECHNICAL SHEET**

**export@sirsafety.com**  
**www.sirsafety.com**

Quality Management  
System Certificate  
UNI EN ISO 9001:2015

<b>Name: POLYTECH JACKET</b>	<b>Code: MC5714Q5</b>	<b>MC57 CLOTHING - POLYTECH SERIES</b>
------------------------------	-----------------------	--

**Description**

Jacket in 75% cotton, 24% polyester, 1% antistatic fibre fabric, weight 280 g/m . It features a Chinese collar with Velcro for neckprotection, concealed front zipper closure with metal snap buttons, two lower pockets and two chest pockets with flaps and Velcro, elastic cuffs, military style epaulettes on shoulders, reflective piping on the chest.

THE JACKET SHALL BE WORN IN COMBINATION WITH THE BIB-TROUSERS OR TROUSERS.

- The Polytech series is made with a multi-purpose fabric that combines antistatic properties with resistance to flames, heat and chemical products.
- Thanks to its features it is multi-purpose, practical and resistant, breathable and comfortable.






The product is designed and manufactured to comply with the requirements of Regulation (EU) 2016/425 and subsequent amendments.

In combination with the jacket is it possible to wear our under garments: Carboflame undershirt art. MC5610 and Carboflame underpants art. MC5620, meeting the point A.2 of IEC 61482-2 which is stating that the electric arc protective clothing shall be used with under garments made of materials that would not melt with the arc.

V@Á aÁ Ácc!} aÁcc! aÁ ÁÜSUEËVÖYÍ ÁÜcc} aÁcc! ÁEEÁ  
certified



<b>Category</b> <b>III</b>	<b>Colours</b> <b>DARK BLUE</b>	<b>Available Sizes</b> <b>38 - 70</b>
-------------------------------	------------------------------------	--

<b>Quantity/Carton</b>          <b>20</b>	<b>EC Standards</b> EN 1149-5  EN ISO 11611  Class:1 Values:A1 EN ISO 11612  Limited Flame Spread:A1 Convective Heat:B1 Radiant Heat:C1 Molten Iron Splashes:E3 Contact Heat:F1 EN 13034  Type:6 CEI EN 61482-2  APC:1	<b>Important Information</b> Petrochemical Industry, Metalworking Industry, Refining Industry, Chemical Industry, Industrial Maintenance and Assemblies, Gas, Water and Electricity Mains Maintenance and Management, Oil & Gas industry.  Keep in a cool dry place, far from heat sources and direct light. Make sure the garment is in good condition, undamaged and clean before use. Once you become aware of a damage, you should immediately replace it.  We recommend to follow the washing instructions. Wash separately from other types of garments to avoid the transfer of inflammable fibres.
	<b>Dexterity</b>	